

The world's favorite lock



Padlock Collection



CONTENTS

2

Introduction

5

Extreme Environments

8

Outdoor Environments

16

General Security

18

Padlock Accessories

20

Designed from the inside out

22

Yale performance ratings

24

Padlock range matrix


26

Retail Solutions

Yale

the world's favorite lock

culture of innovation



Yale innovations have not only transformed Yale, but have also shaped the global locking industry as we know it today.

The Yale Heritage : Lock innovations since 1865

In 1865, Linus Yale, Jr. of Salisbury, New York, patented his most important invention, the Yale cylinder lock and key system that was to make Yale a household name. Inspired by basic principles first used by the ancient Egyptians 4,000 years before, the new type of lock applied a simple yet ingenious approach that has positioned Yale as the world's favorite lock brand.

Yale's European history began in 1904 when Yale established operations in London, Paris and Hamburg, with manufacturing starting a few years later in England, and a few decades later in Italy.

unlocking the future



The Yale mark is a promise of quality. Yale padlocks are for life - for every type of situation, and for a lifetime of high performance.

A global knowledge pool

Linus Yale's spirit of innovation lives on in the Yale brand today. Everyone in the company recognizes that a great deal of effort goes into maintaining a number one position. It is only constant innovation that allows the highest quality products to be available to everyone. Our vision at Yale is to build on our heritage and energize it with new knowledge for the future.

Yale's new padlock range demonstrates the brand's dedication to applying the latest insights in usability, sustainability, materials and production methods to offer some of the highest quality and most secure padlocks on the market today – and tomorrow, the world over.

the new Yale padlock range

Perfection reinvented

It may seem like an impossible task to improve on an object that has already been a part of our lives for generations. But with new developments in design innovation, materials and changing end user needs, Yale applies new insights into production techniques to make its products as user-friendly and as secure as possible.

As the world changes, Yale locks evolve. Whether in extreme conditions, outdoor or indoor, the new Yale padlock range offers universally relevant locking solutions to survive years of use in all types of environments.





Extreme Environments

The Extreme/Marine Series offers some of the highest security padlocks available. These locks are serious heavy-duty gear tough enough for industrial or commercial use. Thicker protective bodies, smooth design, and attack-resistant protective shrouds mean these locks will survive some of the most challenging conditions on earth, such as prolonged exposure to wetness, salt, sub-zero temperatures, heat and rapid temperature changes, as well as various forms of attack.

The Extreme/Marine Series rates between 7 and 10 on the Yale security rating scale, offering maximum security corrosion and attack resistance.

Molybdenum has unique characteristics that add to the strength and durability of stainless steel. It has been proved extremely reliable in critical situations such as in the nuclear, defense and space industries where the slightest risk of corrosion would be catastrophic.



Y300SS/63/127/1

Body material : **Marine Grade Stainless Steel / Natural**
 Shackle material : **Stainless Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **7**
 Corrosion rating : **Exposed**



Y90SS/45/129/1

Body material : **Marine Grade Stainless Steel / Natural**
 Shackle material : **Stainless Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **7**
 Corrosion rating : **Exposed**



Y300/63/127/1

Body material : **Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **8**
 Corrosion rating : **Exposed**



Y100/70/125/1

Body material : **Heavy Duty Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **9**
 Corrosion rating : **Exposed**



Y90S/45/129/1

Body material : **Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **8**
 Corrosion rating : **Exposed**



Y290S/95/122/1

Body material : **Heavy Duty Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **10**
 Corrosion rating : **Exposed**

Heavy duty body with shackle shroud

Padlock with an integrated body extension protects the shackle from attack.



Y300C/63/127/1

Body material : **Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **8**
 Corrosion rating : **Exposed**



Y90B/45/129/1

Body material : **Solid Brass / Black**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **7**
 Corrosion rating : **Exposed**

Outdoor Environments

These padlocks offer general security for both indoor and outdoor conditions. Tough satin chrome-plated finishes and Boron shackles maximize corrosion and security resistance ratings. Smooth rounded forms also increase resistance to attack.

These locks are, at the very minimum, rated between 4 and 6 on the Yale security rating scale.





Outdoor Environments



Boron is a high-grade precision steel. Due to its supreme strength it is used in advanced automotive applications and in heavy-duty industrial applications.



Y120/40/125/1

Body material : Solid Brass/Satin Chrome
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 5
Corrosion rating : Outdoor



Y120/50/127/1

Body material : Solid Brass/
Satin Chrome
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 5
Corrosion rating : Outdoor

Multi-pack padlocks

Multi-pack padlocks are operated with the same key for convenience. 2 or more padlocks can be used in different applications. An additional key is included in these packs.

* Available in 2 pcs & 4 pcs pack.
One key fits all.



Y120/50/163/1

Body material : Solid Brass/Satin Chrome
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 4
Corrosion rating : Outdoor



Y120/60/135/1

Body material : Solid Brass/Satin Chrome
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 6
Corrosion rating : Outdoor



Y120/70/141/1

Body material : Solid Brass/
Satin Chrome
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 6
Corrosion rating : Outdoor

The Satin Chrome plated finish protects the body from surface damage but also increases general corrosion resistance.



Y124/60/110/1

Body material : **Solid Brass/Satin Chrome**
Shackle material : **Boron Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **5**
Corrosion rating : **Outdoor**



Y124/70/115/1

Body material : **Solid Brass/Satin Chrome**
Shackle material : **Boron Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **6**
Corrosion rating : **Outdoor**



Y210/38/127/1

Body material : **Solid Steel/Satin Chrome**
Shackle material : **Boron Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **4**
Corrosion rating : **Outdoor**

* Available in 3 pcs pack. One key fits all.



Y210/51/127/1

Body material : **Solid Steel/Satin Chrome**
Shackle material : **Boron Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **5**
Corrosion rating : **Outdoor**



Y130/70/116/1

Body material : **Marine Grade Stainless Steel/Natural**
 Shackle material : **Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **6**
 Corrosion rating : **Exposed**

* Available in 2 pcs pack. One key fits all.

Soft rubber bumper

A soft rubberized protruding cover is fitted to the base of the padlock body to protect both the padlock and the fittings to which it is attached.



Y122/50/123/1

Body material : **Solid Brass/Satin Chrome**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **5**
 Corrosion rating : **Outdoor**



Y210C/51/127/1

Body material : **Solid Steel/Satin Chrome**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **6**
 Corrosion rating : **Outdoor**

Y121/40/125/1

Body material : **Solid Brass/Black Cover**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **5**
 Corrosion rating : **Outdoor**

Plastic covered padlock

Visually appealing with a more tactile finish, padlocks with plastic covers are less likely to tarnish and add protection to the item being secured.



Y210C/38/127/1

Body material : **Solid Steel/Satin Chrome**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **5**
 Corrosion rating : **Outdoor**

'Closed shackle' padlocks

Shackle is protected by body extension.



Y121/50/132/1

Body material : **Solid Brass/Black Cover**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **6**
 Corrosion rating : **Outdoor**

**Y220/51/118/1**

Body material : **Laminated Steel/Zinc**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **4**
 Corrosion rating : **Exposed**
 * Available in 3 pcs pack. One key fits all.

**Y220/71/130/1**

Body material : **Laminated Steel/Zinc**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **6**
 Corrosion rating : **Exposed**

**Y220/61/123/1**

Body material : **Laminated Steel/Zinc**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **5**
 Corrosion rating : **Exposed**

**Y221/61/130/1**

Body material : **Laminated Steel/Zinc**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **6**
 Corrosion rating : **Exposed**

Weather resistant padlocks

These padlocks offer greater resilience against harsh environmental conditions and carry a higher corrosion resistance rating. Improved "o" ring design prevents water from entering the shackle holes.

**Y221/52/125/1**

Body material : **Laminated Steel/Zinc**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **5**
 Corrosion rating : **Exposed**



Y115/30/117/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **2**
Corrosion rating : **Outdoor**

* Available in 3 pcs pack. One key fits all.



Y125/40/122/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **4**
Corrosion rating : **Outdoor**

* Available in 3 pcs pack. One key fits all.



Y125/50/129/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **5**
Corrosion rating : **Outdoor**



Y125/60/133/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **6**
Corrosion rating : **Outdoor**



Y125/40/163/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **4**
Corrosion rating : **Outdoor**

* Available in 3 pcs pack. One key fits all.



Y110/30/117/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **2**
 Corrosion rating : **Outdoor**

* Available in 2 pcs, 3 pcs and 4 pcs pack. One key fits all.



Y110C/30/115/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **2**
 Corrosion rating : **Outdoor**



Y110C/40/119/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **3**
 Corrosion rating : **Outdoor**



Y110/30/150/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **1**
 Corrosion rating : **Outdoor**

* Available in 2 pcs pack. One key fits all.

Long shackle padlocks

Long Shackle Padlocks are manufactured specifically for applications that have staples set far apart. The extended length of the shackle, however, allows for easier twisting, and therefore lowers the rating on the Yale global performance security rating.



Y110/50/155/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **No Rating**
 Corrosion rating : **Outdoor**

Adjustable shackle

The vertical shackle length is adjustable within certain models.



Hardened steel dramatically increases attack resistance of steel.



Y110/35/121/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **3**
 Corrosion rating : **Outdoor**
 * Available in 2 pcs pack. One key fits all.



Y110/40/163/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **2**
 Corrosion rating : **Outdoor**
 * Available in 3 pcs pack. One key fits all.

Y110/40/123/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **3**
 Corrosion rating : **Outdoor**
 * Available in 2 pcs, 4 pcs and 6 pcs pack. One key fits all.



Y140/50/122/1

Body material : **Stainless Steel/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **N/A**
 Security grading : **2**
 Corrosion rating : **Outdoor**



Y110J/30/117/4


Body material : **Solid Brass/Black Cover**
 Shackle material : **Hardened Steel**
 No. of padlocks : **4**
 No. of keys : **4**
 Security grading : **2**
 Corrosion rating : **Outdoor**

General Security

These padlocks offer basic security features for indoor and general applications. New satin brass finishes and smoother rounded forms protect the things to be secured. They are built to act as deterrent to petty theft, or even for use as a personal security measure. Although designed to provide basic security, they are built to the same exacting quality standards as the more robust members of the Yale padlock family.

Re-settable combination locks allow the lock to remain a household favorite no matter whom it is passed on to.





Y150/22/120/1

Body material : **Solid Brass/Natural**
 Shackle material : **Steel**
 No. of padlocks : **1**
 No. of keys : **N/A**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**
 * Available in 2 pcs pack.



Y110J/15/111/4

Body material : **Solid Brass/Black Cover**
 Shackle material : **Steel**
 No. of padlocks : **4**
 No. of keys : **4**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**



Y150/30/125/1

Body material : **Solid Brass/Natural**
 Shackle material : **Steel**
 No. of padlocks : **1**
 No. of keys : **N/A**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**



Y150/40/130/1

Body material : **Solid Brass/Natural**
 Shackle material : **Steel**
 No. of padlocks : **1**
 No. of keys : **N/A**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**



Y110/20/111/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**
 * Available in 2 pcs and 4 pcs pack. One key fits all.



Y110/25/115/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **1**
 Corrosion rating : **Indoor**
 * Available in 2 pcs and 4 pcs pack. One key fits all.

Padlock Accessories

Yale padlock and hasp combination packs are designed to make the consumer purchase process quicker and easier. Each pack is independently tested and graded with the unique Yale strength rating system - featuring security and corrosion performance tests.

Yale hasps are designed with ease of installation and good performance in mind. They are suitable for security gates, sheds, cupboards, tool boxes and other similar applications. A quality hasp is as important as the padlock and so as your valuables.





Model no.	Description	Dimension (mm)	Suitable for padlock shackle no more than (mm)	Security rating	Corrosion rating
Y135/120/BK	Steel hasp with concealed fixing	120	11	4	Outdoor
Y155/160/BK	Hardened steel hinged hasp and staple with concealed fixing	160	11	4	Outdoor
Y110/40/123/1/HSP	Steel hasp (Y135/120/BK) with 40mm Solid Brass padlock	120	11	3/4	Outdoor
Y400S/74/115/1H	Hardened steel hinged hasp and staple with concealed fixing (Y145/190/BK) with 74mm Hardened Steel padlock with protected bolt	190	13	6	Outdoor



Y105/90/BK

Body material : Steel hasp with concealing fixing
 Dimension : 90mm (width)
 Suitable for : Padlock shackle no more than 8mm
 Security rating : 1
 Corrosion rating : Outdoor



Y145/190/BK

Body material : Hardened steel hinged hasp and staple with concealing fixing
 Dimension : 190mm (width)
 Suitable for : Padlock shackle no more than 13mm
 Security rating : 6
 Corrosion rating : Outdoor



Y301/60/BK/R

Body material : Hardened steel locking plates with concealed fixing (Right hand size)
 Dimension : 70mm (width)
 Suitable for : Padlock shackle no more than 12mm
 Security rating : 7
 Corrosion rating : Outdoor



Y302/60/BK/L


Body material : Hardened steel locking plates with concealed fixing (Left hand size)
 Dimension : 70mm (width)
 Suitable for : Padlock shackle no more than 12mm
 Security rating : 7
 Corrosion rating : Outdoor

Y730/60/23/1

Body material : Steel anchor with concealed fixing
 Dimension : 60mm (width)
 Suitable for : Padlock shackle no more than 6 mm
 Security rating : 4
 Corrosion rating : Outdoor

Y830/100/60/1

Body material : Steel anchor with concealed fixing
 Dimension : 100mm (width)
 Suitable for : Padlock shackle no more than 10mm
 Security rating : 6
 Corrosion rating : Outdoor



Y220/51/118/1/HSP

Body material : Laminated steel padlock (Y220/51/118) & Hasp Y155/160/BK
 Dimension : 160mm (width)
 Security rating : 4
 Corrosion rating : Outdoor

designed from the inside out

Anticipating needs

Design is more than just surfaces. It's about quality, from the inside out. Yale's design philosophy is to create the highest quality security products possible that are relevant and respond to every individual's changing needs.

The new Yale padlock range introduces a new enhanced design that is soft to touch, hold, and behold, and designed to resist some of the hardest physical impacts. Each product has the maximum strength, security, usability and the corrosion performance for its specific use. Each padlock is designed to enable the people to effortlessly secure themselves, their loved ones and their possessions for generations. Designed to meet evolving needs, as well as the toughest challenges of life.

Key features

All Yale padlocks contain the precision locking mechanism that helped make Yale the world's favorite lock. The latest insights apply key features exactly where they are needed for the most effective user application.



Advanced design

Innovative design raises performance ratings. Integrated body shoulders, rounded forms, increased body thickness, satin finishes, and rubber covers, help protect the lock from attack and corrosion.



Precision Locking design

All locks contain precision-locking mechanisms that help make Yale a household name. Six-pin cylinders raise security levels and allow the padlock to be keyed in the same way as your front door lock.



Longevity design

Yale locks are designed to survive our changing needs, as well as attack from man or nature's forces. All padlocks in the new range come with a lifetime warranty.



User convenience

Convenient features such as the re-keyable cylinder means the locks can be kept even if all keys are lost.



Usability

The padlocks come in their most efficient forms. Multiple padlocks on one key result in easy user-management.



Patented flexibility

The patented Yale quick-change shackle system allows the shackle to be replaced with ease, for trouble-free resizing or replacement.



Material knowledge

Materials are treated and applied to withstand some of the toughest corrosion tests in the industry.



Extra security

Double ball locks on both sides of the shackle are an example of where security features are added where they are most needed.

the highest global standards

The toughest tests

Yale employs some of the toughest security and performance testing processes in the industry and is a leading contributor to international standards development. These tests are more severe than would normally be encountered in real life. Varying methods of simulated extreme attack assess the padlock functionality and their ability to survive the worst-case scenarios of attack utilizing common hand tools.

Performance testing and the Global Yale Standard

The Global Yale Standard enables the most stringent evaluation of security and corrosion resistance of padlocks. The standard specifies performance requirements and describes test methods for strength, security, function and performance.

Security rate testing with simulated attacks

The Global Yale Security Level tests simulate various forms of extreme attack with common hand tools. The tests are far more severe than would normally be encountered, maximizing impact of pulling, twisting, cutting, impacting, sawing, drilling or cylinder manipulation.

Corrosion resistance

All Yale padlocks are exposed to accelerated corrosion tests to evaluate their resistance to corrosion. Testing includes long term exposure to damp, humid, wet and extreme conditions, including low temperatures and salt spray.

Durability testing

All Yale padlocks locking mechanisms and cylinders that are run through thousands of cyclic tests, simulating years of daily use.

Engineered security

Yale padlocks are designed to resist various forms of attack.



Anti crop

Built-in protection
against cropping.



Anti drill

Hardened protection
against drill attack.






Anti impact

Built-in protection
against impact.



Anti saw

Hardened protection
against saw attack.




Yale performance ratings

Security strength ratings

Yale padlocks are divided into three security levels, blue, green and red, to help consumers choose the correct lock for their needs. The grading bar identifies the lock's suitable application and security on a rating between 1 and 10, and is visible on all padlock packaging and merchandising.

Security Ratings



Corrosion resistance ratings

All Yale locks and accessories are exposed to accelerated corrosion tests to evaluate their resistance to corrosion. The scale outlined below helps consumers determine the most appropriate padlock to use for their specific application.

The basic security padlocks cover both indoor and outdoor use, the general security padlocks covers outdoor and exposed, whereas the padlocks in the high security range are suitable for exposed and extreme conditions.

INDOOR
DRY CONDITIONS

OUTDOOR
NORMAL CONDITIONS

EXPOSED
EXTREME CONDITIONS

user-friendly packaging

Quick reference information

The packaging shows the security strength and corrosion resistance ratings, as well as an application description. Key product features are listed for quick reference.

Branding :
Prominent Yale branding - instant trust and credibility.

Application :
Describes suitable application where applicable

Security grading color button.
(1 - 10 Security rating)

Description :
Brief description of the product.

Product numbering system :
A unique code to identify each Yale product.

Strength Rating :
Yale strength rating, a guide to identifying the most appropriate product for the application.


Corrosion Rating :
Yale corrosion rating explained.

Quality Standards

Features :
Detailing core product features and benefits.


Guarantee :
All Yale padlocks have a lifetime guarantee to give consumers confidence in the product.

Website



padlock range matrix

PADLOCK DETAILS
SHACKLE DETAILS



Model N°	Padlock details				Shackle details					Usage conditions				Shackle material					Padlock features							
Model N° explanation Model Y90S Body width 45 Shackle size 129 Qty per pack 1	Width (mm)	Height (mm)	Thickness(mm)	Body material / finish	Diameter (mm)	Clearance Width	Clearance Height	Security rating		Indoor	Outdoor	Extreme	Marine	Steel	Hardened Steel	Stainless Steel	Boron	Molybdrum	Re-Keyable cylinder	Quick change shackle	Covered shackle	6-Pin cylinder	Double ball lock	Long Shackle	One key fits all	
Y90B/45/129/1	47	54	23	Solid Brass / Black	8	22	19	7					•				•		•	•	•	•	•			
Y300SS/63/127/1	63	56	22	Marine Grade Stainless Steel / Natural	11	31	27	7					•	•		•			•	•	•	•	•			
Y90SS/45/129/1	47	54	23	Marine Grade Stainless Steel / Natural	8	22	19	7					•	•		•			•	•	•	•	•			
Y300C/63/127/1	63	89	22	Hardened Steel / Black	11	21	27	8					•	•				•	•	•	•	•	•			
Y300/63/127/1	63	56	22	Hardened Steel / Black	11	31	27	8					•	•				•	•	•	•	•	•			
Y100/70/125/1	70	66	32	Heavy Duty Hardened Steel / Black	14	33	25	9					•	•				•	•	•	•	•	•			
Y90S/45/129/1	48	54	23	Hardened Steel / Black	8	22	19	8					•	•				•	•	•	•	•	•			
Y290S/95/122/1	95	69	30	Heavy Duty Hardened Steel / Black	14	35	21	10					•	•				•	•	•	•	•	•			
Y120/40/125/1	41	37	16	Solid Brass / Satin Chrome	7	20	25	5			•						•									
Y120/50/127/1	52	46	17	Solid Brass / Satin Chrome	9	25	26	5			•						•									
Y120/50/127/2	52	46	17	Solid Brass / Satin Chrome	9	25	26	5			•						•								•	
Y120/50/127/4	52	46	17	Solid Brass / Satin Chrome	9	25	26	5			•						•								•	
Y120/50/163/1	52	46	17	Solid Brass / Satin Chrome	9	25	63	4			•						•							•		
Y120/60/135/1	62	51	19	Solid Brass / Satin Chrome	10	34	34	6			•						•									
Y122/50/123/1	51	65	17	Solid Brass / Satin Chrome	7	19	23	5			•						•				•					
Y124/60/110/1	61	45	17	Solid Brass / Satin Chrome	10	18	10	5			•						•				•					
Y124/70/115/1	75	55	20	Solid Brass / Satin Chrome	12	22	15	6			•						•				•					
Y210/38/127/1	42	55	20	Solid Steel / Satin Chrome	6	19	26	4			•						•		•				•			
Y210/38/127/3	42	55	20	Solid Steel / Satin Chrome	6	19	26	4			•						•		•				•		•	
Y210/51/127/1	50	55	22	Solid Steel / Satin Chrome	9	19	27	5			•						•		•				•			
Y130/70/116/1		70Ø	24	Marine Grade Stainless Steel / Natural	9	20	14	6				•	•	•						•					•	
Y130/70/116/2		70Ø	24	Marine Grade Stainless Steel / Natural	9	20	14	6				•	•	•						•					•	
Y120/70/141/1	71	52	20	Solid Brass / Satin Chrome	11	40	41	6			•						•									
Y210C/38/127/1	42	83	20	Solid Steel / Satin Chrome	6	19	26	5			•						•		•		•		•			
Y210C/51/127/1	50	87	21	Solid Steel / Satin Chrome	9	19	27	6			•						•		•		•		•			
Y110/30/117/1	31	27	13	Solid Brass / Natural	4	15	16	2			•				•											
Y110/30/117/2	31	27	13	Solid Brass / Natural	4	15	16	2			•				•										•	
Y110/30/117/3	31	27	13	Solid Brass / Natural	4	15	16	2			•				•										•	
Y110/30/117/4	31	27	13	Solid Brass / Natural	4	15	16	2			•				•										•	
Y110/30/150/1	31	27	13	Solid Brass / Natural	4	15	51	1			•				•									•		
Y110/30/150/2	31	27	13	Solid Brass / Natural	4	15	51	1			•				•									•	•	
Y140/50/122/1		48Ø	18-30	Stainless Steel / Natural	8	20	22	2			•			•											•	
Y110J/30/117/4	33	27	15	Solid Brass / Black Cover	4	15	16	2			•				•										•	

Model N°	Padlock details				Shackle details			Usage conditions					Shackle material					Padlock features						
	Width (mm)	Height (mm)	Thickness(mm)	Body material / finish	Diameter (mm)	Clearance Width	Clearance Height	Security rating	Indoor	Outdoor	Marine	Extreme	Steel	Hardened Steel	Stainless Steel	Boron	Molybdenum	Re-Keyable cylinder	Quick change shackle	Covered shackle	6-Pin cylinder	Double ball lock	Long Shackle	One key fits all
Y110/50/155/1	51	42	17	Solid Brass / Natural	8	29	59/155	N/A		•				•									•	
Y110/50/127/1	52	41	17	Solid Brass / Natural	8	29	26	4		•				•										
Y110/50/127/2	52	41	17	Solid Brass / Natural	8	29	26	4		•				•										•
Y110/50/127/4	52	41	17	Solid Brass / Natural	8	29	26	4		•				•										•
Y110C/30/115/1	31	43	13	Solid Brass / Natural	4	12	14	2		•				•						•				
Y110C/40/119/1	41	53	16	Solid Brass / Natural	6	16	19	3		•				•						•				
Y110/35/121/1	36	30	13	Solid Brass / Natural	5	18	18	3		•				•										•
Y110/35/121/2	36	30	13	Solid Brass / Natural	5	18	18	3		•				•										•
Y110/40/123/1	41	33	14	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/2	41	33	14	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/4	41	33	14	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/6	41	33	14	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/163/1	41	33	14	Solid Brass / Natural	6	22	63	2		•				•									•	•
Y110/40/163/3	41	33	14	Solid Brass / Natural	6	22	63	2		•				•									•	•
Y121/40/125/1	47	62	21	Solid Brass / Black Cover	7	20	22	5		•						•				•				
Y121/50/132/1	58	77	22	Solid Brass / Black Cover	9	24	23	6		•						•				•				
Y115/30/117/1	30	26	17	Laminated Steel / Zinc	5	14	18	2		•				•										•
Y115/30/117/3	30	26	17	Laminated Steel / Zinc	5	14	18	2		•				•										•
Y125/40/122/1	40	36	22	Laminated Steel / Zinc	6	20	25	4		•				•								•		•
Y125/40/122/3	40	36	22	Laminated Steel / Zinc	6	20	25	4		•				•								•		•
Y125/40/122/4	40	36	22	Laminated Steel / Zinc	6	20	25	4		•				•								•		•
Y125/50/129/1	50	38	26	Laminated Steel / Zinc	9	22	29	5		•				•								•		•
Y125/50/129/2	50	38	26	Laminated Steel / Zinc	9	22	29	5		•				•								•		•
Y125/50/129/4	50	38	26	Laminated Steel / Zinc	9	22	29	5		•				•								•		•
Y125/60/133/1	60	44	30	Laminated Steel / Zinc	11	28	31	6		•				•								•		•
Y125/40/163/1	40	36	22	Laminated Steel / Zinc	6	20	63	4		•				•								•	•	•
Y125/40/163/3	40	36	22	Laminated Steel / Zinc	6	20	63	4		•				•								•	•	•
Y220/51/118/1	53	49	35	Laminated Steel / Zinc		17	22	4				•		•								•		•
Y220/51/118/3	53	49	35	Laminated Steel / Zinc		17	22	4				•		•								•		•
Y220/61/123/1	62	54	39	Laminated Steel / Zinc		20	26	5				•		•								•		•
Y220/71/130/1	72	59	43	Laminated Steel / Zinc		26	31	6				•		•								•		•
Y221/52/125/1	53	78	35	Laminated Steel / Zinc		17	25	5				•		•								•		•
Y221/61/130/1	62	89	39	Laminated Steel / Zinc		20	28	6				•		•								•		•
Y110/20/111/1	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										•
Y110/20/111/2	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										•
Y110/20/111/4	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										•
Y110/25/115/1	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										•
Y110/25/115/2	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										•
Y110/25/115/4	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										•
Y110J/15/111/4	20	18	12	Solid Brass / Black Cover	2	8	12	N/A	•				•											•
Y150/22/120/1	22	32	10	Solid Brass / Natural	3	8	21	N/A	•				•											•
Y150/22/120/2	22	32	10	Solid Brass / Natural	3	8	21	N/A	•				•											•
Y150/30/125/1	31	41	13	Solid Brass / Natural	4	14	26	N/A	•				•											•
Y150/40/130/1	40	48	15	Solid Brass / Natural	6	19	28	N/A	•				•											•

retail solutions

Support programme

Yale provides a comprehensive range of marketing support material to help raise awareness of Yale padlocks and generate demand for all Yale Padlock Centres



Display

help to present full range of Yale padlocks



Newsletter

Informing you about new developments



Headers



communicating the Yale padlock range



Cheeks



Banners



ASSA ABLOY Asia Sales Office Locations

THE YALE BRAND, with its unparalleled global reach and range of products, reassures more people in more countries than any other consumer locking solution.

www.yalelock.com

THE ASSA ABLOY GROUP, is the world's leading manufacturer and supplier of locking solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY Hong Kong Ltd.

33/F., Laws Commercial Plaza,
788 Cheung Sha Wan Road,
Kowloon, Hong Kong
Tel : +852 2260 0888
Fax : +852 2686 8682
E-mail : sales@assaabloy.com.hk

ASSA ABLOY Hong Kong Ltd., Philippines Branch

Unit 1505, 15/F World Trade Exchange Building,
215 Juan Luna Street, Binondo, Manila, Philippines
Tel : +63 2 244 2890
Fax : +63 2 244 2889
E-mail : sales@assaabloy.com.hk

ASSA ABLOY Hong Kong Ltd., Taiwan Branch

3F-2, No. 201, Ho Ping East Road,
Section 2, Taipei, Taiwan
Tel : +886 2 2709 0686
Fax : +886 2 2754 1617
E-mail : sales@assaabloy.com.hk

ASSA ABLOY Singapore Pte. Ltd.

152 Ubi Avenue 4, #03-02 Armorcoat
Technologies Building, Singapore 408826
Tel : +65 6880 0000
Fax : +65 6880 0500
E-mail : sales@assaabloy.com.sg

ASSA ABLOY Malaysia Sdn Bhd

No. 14, 14A & 14B, Jalan Wan Kadir 1,
Taman Tun Dr. Ismail,
60000 Kuala Lumpur, Malaysia
Tel : +60 3 7725 3888
Fax : +60 3 7725 8333
E-mail : info@assaabloy.com.my

ASSA ABLOY Thailand Limited

1919 Preecha Group Building, 5th Floor,
Pattanakarn Road, Suanluang,
Bangkok 10250, Thailand
Tel : +66 2 722 7371
Fax : +66 2 722 7375
E-mail : sales@assaabloy.co.th

ASSA ABLOY India Private Limited

B 206, 2nd Floor, Universal Business Park,
Off Saki Vihar Road, Kamani Oil Mills Lane,
Andheri (East), Mumbai – 400 072, India
Tel : +91 22 4005 1380
Fax : +91 22 4005 1383
E-mail : info@assaabloy.co.in

ASSA ABLOY China, Beijing Branch

Room 808, Beijing Motor Tower,
No. 25 Dong San Huan South Road, ChaoYang
District, Beijing 100021, People's Republic of China
Tel : +86 10 8766 5845
Fax : +86 10 8766 5461
E-mail : marketing@assaabloy.com.cn

ASSA ABLOY China, Shanghai Branch

6/F., Suite South, Shanghai Merchant Plaza,
333 Cheng Du North Road, JingAn District,
Shanghai 200041, People's Republic of China
Tel : +86 21 5298 1136
Fax : +86 21 5298 0416
E-mail : marketing@assaabloy.com.cn

ASSA ABLOY China, Southern China Branch

Rm.626, Block East,
Innovation & Technology Plaza Phase 2,
Tian An Cyber Park, Shenzhen 518040
People's Republic of China
Tel : +86 755 8835 2652
Fax : +86 755 8359 8261
E-mail : marketing@assaabloy.com.cn

ASSA ABLOY Korea

4/F., iRevo Bldg, 459-7, Gasan-dong, Geumcheon-
gu, Seoul, 153-803, Korea
Tel : +82 2 6710 0600
Fax : +82 2 6710 0670
E-mail : sales@assaabloykorea.com

ASSA ABLOY Japan

Office 315, AIOS Gotanda Building
1-10-7 Higashi-gotanda
Shinagawa-ku, Tokyo
JAPAN 141-0022
Tel : +81 3 6424 5499
Email : info@yaleasia.com

The world's favorite lock



Legal Disclaimer

Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. This brochure does not constitute an offer for the sale of any particular product.